

PRT.0144
SANACOLOR

Natural earth colours for the pigmentation of plasters, paints, etc.

Customs Code
2821 2000

Packaging
- Bag 25 kg
- Canister 750 g
- Canister 500 g

Application
- To be added to other components

Family Protech	Type Coloured clays and pigments
Product Lines • Opus • Sanageb	Functional Categories • Protective coating (plasters) • Protective varnishing (painting)
Components Single-component	Appearance Powder

General description

Natural colouring with high stability, and a wide range of mineral pigments including yellow ochre, umber, terre-verte, burnt green earth, for pigmenting plasters, paints, etc.





Dosage

The indicative dosage as a pigment for mortars, plasters and spatulates is approximately 3 - 7% by weight, compared to the weight of the anhydrous material to be pigmented. In the case of paints, the indicative dosage will be 5 - 10% by weight.

Fields of application

Pigmentation of plasters, mortars, paints, spatulates etc.

Basic features

-  Consumption (% by weight of aggregates): 3-10 %
-  Shelf-life: 12 months
-  Temperature of use: +8 / +30 °C
-  Available colours Sanacolor

Tools cleansing

- Water

Applicable on

- Plasters
- Paint

Instructions for use

SANACOLOR natural earth colours are extremely easy to use:

- In the case of mortars, plasters, etc. add the pigment gradually and evenly into the mixer, continue to mix until a homogeneous mixture is obtained. The indicative dosage in this case is about 3-7% by weight with respect to the weight of the anhydrous material to pigment.
- In the case of paints you should previously disperse the pigment in water and then add the solution to the paint. The indicative dosage in this case will be 5-10 %, by weight.

Storage and preservation

Store the product in its original packing, in a fresh and dry environment, avoiding frost and direct sunlight.



www.azichem.com

Updated: 24/08/2020
General sales conditions and legal notices on www.azichem.com/disclaimer



Warnings, Precautions and Ecology

The general information, along with any instructions and recommendations for use of this product, including in this data sheet and eventually provided verbally or in writing, correspond to the present state of our scientific and practical knowledge.

Any technical and performance data reported is the result of laboratory tests conducted in a controlled environment and thus may be subject to modification in relation to the actual conditions of implementation.

Azichem Srl does not assume any liability arising from inadequate characteristics related to improper use of the product or connected to defects arising from factors or elements unrelated to the quality of the product, including improper storage.

Those wishing to utilise the product are required to determine prior to use whether or not the same is suitable for the intended use, assuming all consequent responsibility.

The technical and characteristic details contained in this data sheet shall be updated periodically. For consultation in real time, please visit the website: www.azichem.com. The date of revision is indicated in the space to the side. The current edition cancels out and replaces any previous version.

Please note that the user is required to read the latest Safety Data Sheet for this product, containing chemical-physical and toxicological data, risk phrases and other information regarding the safe transport, use and disposal of the product and its packaging. For consultation, please visit: www.azichem.com.

It is forbidden to dispose of the product and/or packaging in the environment.

It is nevertheless necessary to carry out preliminary adaptation tests, depending on the required pigmentation and the base to be pigmented.

SANACOLOR is produced/distributed by



Via Giovanni Gentile, 16/A - 46044 Goito (MN), Italy
info@azichem.com Tel. +39 0376.604185 /604365 Fax +39 0376 604398



www.azichem.com

Updated: **24/08/2020**
General sales conditions and legal notices on
www.azichem.com/disclaimer